Rick Sims Sims Cabinet Company, Inc. 431 North Holmes Avenue Indianapolis, Indiana 46222

RE: Minor Source Operating Permit MSOP 097-16735-00443

Dear Mr. Sims:

Enclosed is a Minor Source Operating Permit issued in approval of the Sims Cabinet Company, Inc., located at 431 North Holmes Avenue, Indianapolis, Indiana 46222.

Please note that this approval has been issued with certain conditions. If the conditions are not acceptable, contact the Indianapolis Office of Environmental Services (OES) by letter or telephone within fifteen (15) days from the date of this letter. The Division will arrange a meeting to discuss the conditions in questions. If no agreement is reached, the Indianapolis Air Pollution Control Board may be petitioned within fifteen (15) days of the date of the meeting. The Board, after public notice and hearing, may sustain, modify, or rescind the conditions. Note that additional conditions may be included in the Operating Permit issued for the above equipment.

Please keep this Permit (or a copy) on file at the facility (specified in the Permit) available for inspection by the OES and IDEM, Office of Air Quality (OAQ) personnel.

If you have any questions, please contact Ms. Angelique Oliger at (317) 327-2846. Thank you for your time and cooperation in this matter.

Sincerely,

Original Signed by John B. Chavez John B. Chavez Administrator

aco

Attachments: MSOP 097-16735-00443

TSD

MINOR SOURCE OPERATING PERMIT INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY and CITY OF INDIANAPOLIS OFFICE OF ENVIRONMENTAL SERVICES

Sims Cabinet Company, Inc. 431 North Holmes Avenue Indianapolis, Indiana 46222

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the emission units described in Section A (Source Summary) of this permit.

This permit is issued to the above mentioned company under the provisions of 326 IAC 2-1.1, 326 IAC 2-5.1 if new source, 326 IAC 2-6.1 and 40 CFR 52.780, with conditions listed on the attached pages.

Operation Permit No.: MSOP 097-16735-00443

Issued by: Original Signed by John B. Chavez

Issuance Date: October 24, 2003

Expiration Date: October 24, 2008

John B. Chavez, Administrator
City of Indianapolis
Office of Environmental Services

TABLE OF CONTENTS

A SOURCE SUMMARY

- A.1 General Information [326 IAC 2-5.1-3(c)] [326 IAC 2-6.1-4(a)]
- A.2 Emission Units and Pollution Control Equipment Summary

B GENERAL CONDITIONS

- B.1 Permit No Defense [IC 13]
- B.2 Definitions
- B.3 Effective Date of the Permit [IC 13-15-5-3]
- B.4 Permit Term and Renewal [326 IAC 2-6.1-7(a)][326 IAC 2-1.1-9.5]
- B.5 Modification to Permit [326 IAC 2]
- B.6 Local Agency Requirement
- B.7 Annual Notification [326 IAC 2-6.1-5(a)(5)]
- B.8 Preventive Maintenance Plan [326 IAC 1-6-3]
- B.9 Permit Revision [326 IAC 2-5.1-3(e)(3)][326 IAC 2-6.1-6]
- B.10 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)][326 IAC 2-6.1-5(a)(4)][IC 13-14-2-2] [IC 13-30-3-1]
- B.11 Transfer of Ownership or Operation [326 IAC 2-6.1-6(d)(3)]
- B.12 Annual Fee Payment [326 IAC 2-1.1-7]

C SOURCE OPERATION CONDITIONS

- C.1 Permit Revocation [326 IAC 2-1.1-9]
- C.2 Opacity [326 IAC 5-1]
- C.3 Fugitive Dust Emissions [326 IAC 6-4]
- C.4 Asbestos Abatement Projects [326 IAC 14-10][326 IAC 18][40 CFR 61, Subpart M]
- C.5 Performance Testing [326 IAC 3-6]
- C.6 Compliance Requirements [326 IAC 2-1.1-11]
- C.7 Compliance Monitoring [326 IAC 2-1.1-11]
- C.8 Monitoring Methods [326 IAC 3][40 CFR 60][40 CFR 63]

Record Keeping and Reporting Requirements

- C.9 Malfunctions Report [326 IAC 1-6-2]
- C.10 Emission Statement [326 IAC 2-6]
- C.11 General Record Keeping Requirements [326 IAC 2-6.1-2]
- C.12 General Reporting Requirements [326 IAC 2-1.1-11] [326 IAC 2-6.1-2] [IC 13-14-1-13]

D.1 FACILITY OPERATION CONDITIONS - Spray Coating and Wipe Cleaning

Annual Notification Malfunction Report

SECTION A

SOURCE SUMMARY

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ), and the Indianapolis Office of Environmental Services (OES). The information describing the source contained in conditions A.1 through A.2 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-5.1-3(c)] [326 IAC 2-6.1-4(a)]

The Permittee owns and operates a stationary envelope manufacturing plant.

Authorized Individual: Rick Sims

Source Address: 431 N. Holmes Avenue, Indianapolis, Indiana 46222 Mailing Address: 431 N. Holmes Avenue, Indianapolis, Indiana 46222

General Source Phone: (317) 634-1747

SIC Code: 2541 County Location: Marion

Source Location Status: Attainment for all criteria pollutants Source Status: Minor Source Operating Permit

Minor Source, under PSD

Minor Source, Section 112 of the Clean Air Act

Not 1 of 28 Source Categories

A.2 Emissions Units and Pollution Control Equipment Summary

This stationary source is approved to operate the following emissions units and pollution control devices:

- (a) Eight (8) spray coating stations, identified as 1-1, 2-1, 2-2, 2-3, 2-4, 2-5, 2-6, and 2-7, each with a maximum capacity of 0.13 gallons of adhesive per hour, using no control, and exhausting to the atmosphere. Station 1-1 was installed in 1968. All other stations were installed in 1995.
- (b) Wipe cleaning operations, with a maximum capacity of 0.15 gallons of xylene per hour, using no control and exhausting to the atmosphere.

Page 4 of 17 MSOP 097-16735-00443

Sims Cabinet Company, Inc. Indianapolis, Indiana Permit Reviewer: Angelique Oliger

SECTION B GENERAL CONDITIONS

THIS SECTION OF THE PERMIT IS BEING ISSUED UNDER THE PROVISIONS OF 326 IAC 2-1.1 AND 40 CFR 52.780, WITH CONDITIONS LISTED BELOW.

B.1 Permit No Defense [IC 13]

This permit to construct does not relieve the Permittee of the responsibility to comply with the provisions of the Indiana Environmental Management Law (IC 13-11 through 13-20; 13-22 through 13-25; and 13-30), the Air Pollution Control Law (IC 13-17) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.

B.2 Definitions

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, the applicable definitions found in the statutes or regulations IC 13-11, 326 IAC 1-2, and 326 IAC 2-1.1-1 shall prevail.

B.3 Effective Date of the Permit [40 CFR 124]

Pursuant to 40 CFR 124.15, 40 CFR 124.19, and 40 CFR 124.20, this permit will become effective immediately upon its issuance if no comments requested a change in the draft permit. If a comment is received which requests a change, the effective date of this permit will be thirty (30) days after the service of notice of the decision. If the final day of the thirty (30) day time period falls on a weekend or legal holiday, the time period shall be extended to the next working day.

B.4 Permit Term and Renewal [326 IAC 2-6.1-7(a)][326 IAC 2-1.1-9.5]

This permit is issued for a fixed term of five (5) years from the issuance date of this permit, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3. Subsequent revisions of this permit do not affect the expiration date.

The Permittee shall apply for an operation permit renewal at least ninety (90) days prior to the expiration date. If a timely and sufficient permit application for a renewal has been made, this permit shall not expire and all terms and conditions shall continue in effect until the renewal permit has been issued or denied.

B.5 Modification to Permit [326 IAC 2]

All requirements and conditions of this operating permit shall remain in effect unless modified in a manner consistent with procedures established for modifications of construction permits pursuant to 326 IAC 2 (Permit Review Rules).

B.6 Local Agency Requirement

An application for an operation permit must be made ninety (90) days before start up to:

City of Indianapolis Office of Environmental Services (OES) 2700 South Belmont Avenue Indianapolis, Indiana 46221

The operation permit issued by OES shall contain as a minimum the conditions in the Operation Conditions section of this permit.

B.7 Annual Notification [326 IAC 2-6.1-5(a)(5)]

- (a) Annual notification shall be submitted to the Office of Air Quality stating whether or not the source is in operation and in compliance with the terms and conditions contained in this permit.
- (b) Noncompliance with any condition must be specifically identified. If there are any permit conditions or requirements for which the source is not in compliance at any time during the year, the Permittee must provide a narrative description of how the source did or will achieve compliance and the date compliance was, or will be, achieved. The notification

must be signed by an authorized individual.

(c) The annual notice shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted in the format attached no later than March 1 of each year to:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, IN 46206-6015

and

City of Indianapolis
Office of Environmental Services
Air Quality Management Section, Permits
2700 South Belmont Avenue
Indianapolis, Indiana 46221

(d) The notification shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, and OES on or before the date it is due.

B.8 Preventive Maintenance Plan [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMPs) within ninety (90) days after issuance of this permit, including the following information on each emissions unit:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions; and
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If, due to circumstances beyond the Permittee's control, the PMPs cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

and

City of Indianapolis
Office of Environmental Services
Air Quality Management Section, Permits
2700 South Belmont Avenue
Indianapolis, Indiana 46221

The PMP extension notification does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Page 6 of 17 MSOP 097-16735-00443

- (b) The Permittee shall implement the PMPs, including any required record keeping, as necessary to ensure that failure to implement a PMP does not cause or contribute to an exceedance of any limitation on emissions or potential to emit.
- (c) A copy of the PMP's shall be submitted to IDEM, OAQ, and OES upon request and within a reasonable time, and shall be subject to review and approval by IDEM, OAQ, and OES. IDEM, OAQ, and OES may require the Permittee to revise its PMP whenever lack of proper maintenance causes or is the primary contributor to an exceedance of any limitation on emissions or potential to emit. The PMP does not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).
- (d) To the extent the Permittee is required by 40 CFR Part 60/63 to have an Operation, Maintenance, and Monitoring (OMM) Plan for a unit, such Plan is deemed to satisfy the PMP requirements of 326 IAC 1-6-3 for that unit.

B.9 Permit Revision [326 IAC 2-5.1-3(e)(3)] [326 IAC 2-6.1-6]

- (a) Permit revisions are governed by the requirements of 326 IAC 2-6.1-6.
- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management Permits Branch, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015

and

City of Indianapolis Office of Environmental Services Air Quality Management Section, Permits 2700 South Belmont Avenue Indianapolis, Indiana 46221

Any such application shall be certified by an "authorized individual" as defined by 326 IAC 2-1.1-1.

- (c) The Permittee shall notify the OAQ within thirty (30) calendar days of implementing a notice-only change. [326 IAC 2-6.1-6(d)]
- (d) No permit amendment or modification is required for the addition, operation or removal of a nonroad engine, as defined in 40 CFR 89.2.

B.10 Inspection and Entry [326 IAC 2-5.1-3(e)(4)(B)] [326 IAC 2-6.1-5(a)(4)][IC 13-14-2-2] [IC 13-30-3-1]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, and subject to the Permittee's right under all applicable laws and regulations to assert that the information collected by the agency is confidential and entitled to be treated as such, the Permittee shall allow IDEM, OAQ, or OES, or U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a permitted source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, have

access to and copy, at reasonable times, any records that must be kept under this title or the conditions of this permit or any operating permit revisions;

- (c) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, inspect, at reasonable times, any processes, emissions units (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit or any operating permit revisions;
- (d) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and
- (e) As authorized by the Clean Air Act, IC 13-14-2-2, IC 13-17-3-2, and IC 13-30-3-1, utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements.

B.11 Transfer of Ownership or Operation [326 IAC 2-6.1-6(d)(3)]

Pursuant to [326 IAC 2-6.1-6(d)(3)]:

- (a) In the event that ownership of this source is changed, the Permittee shall notify IDEM, OAQ, Permits Branch and OES, within thirty (30) days of the change.
- (b) The written notification shall be sufficient to transfer the permit to the new owner by an notice-only change pursuant to 326 IAC 2-6.1-6(d)(3).
- (c) IDEM, OAQ, and OES shall issue a revised permit.

The notification which shall be submitted by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1.

B.12 Annual Fee Payment [Indianapolis Code of Ordinances Section, 511-521]

- (a) The Permittee shall pay annual fees to City of Indianapolis, OES within thirty (30) calendar days of receipt of a billing.
- (b) The Permittee may call Joyce Jackson at (317) 327-2234 for more information.

SECTION C

SOURCE OPERATION CONDITIONS

Entire Source

C.1 Permit Revocation [326 IAC 2-1.1-9]

Pursuant to 326 IAC 2-1.1-9 (Revocation of Permits), this permit to operate may be revoked for any of the following causes:

- (a) Violation of any conditions of this permit.
- (b) Failure to disclose all the relevant facts, or misrepresentation in obtaining this permit.
- (c) Changes in regulatory requirements that mandate either a temporary or permanent reduction of discharge of contaminants. However, the amendment of appropriate sections of this permit shall not require revocation of this permit.
- (d) Noncompliance with orders issued pursuant to 326 IAC 1-5 (Episode Alert Levels) to reduce emissions during an air pollution episode.
- (e) For any cause which establishes in the judgment of IDEM, and OES, the fact that continuance of this permit is not consistent with purposes of this article.

C.2 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of thirty percent (30%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.3 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions).

C.4 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61, Subpart M]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:
 - (1) When the amount of affected asbestos containing material increases or

decreases by at least twenty percent (20%); or

- (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date:
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management Asbestos Section, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015

and

City of Indianapolis Office of Environmental Services Air Quality Management Section, Enforcement 2700 South Belmont Avenue Indianapolis, Indiana 46221

The notice shall include a signed certification from the owner or operator that the information provided in this notification is correct and that only Indiana licensed workers and project supervisors will be used to implement the asbestos removal project. The notifications do not require a certification by an "authorized individual" as defined by 326 IAC 2-7-1(34).

- (e) Procedures for Asbestos Emission Control
 The Permittee shall comply with the applicable emission control procedures in 326 IAC
 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-1, emission control requirements
 are applicable for any removal or disturbance of RACM greater than three (3) linear feet
 - on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) Demolition and renovation

 The Permittee shall thoroughly inspect the affected facility or part of the facility where the demolition or renovation will occur for the presence of asbestos pursuant to 40 CFR 61.145(a).
- (g) Indiana Accredited Asbestos Inspector
 The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator,
 prior to a renovation/demolition, to use an Indiana Accredited Asbestos Inspector to
 thoroughly inspect the affected portion of the facility for the presence of asbestos. The
 requirement to use an Indiana Accredited Asbestos inspector is not federally
 enforceable.

Testing Requirements

C.5 Performance Testing [326 IAC 3-6]

(a) Compliance testing on new emissions units shall be conducted within 60 days after achieving maximum production rate, but no later than 180 days after initial start-up, if specified in Section D of this approval. All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing any applicable procedures and analysis methods specified in 40 CFR 51, 40 CFR 60, 40 CFR 61, 40 CFR 63, 40 CFR 75, or other procedures approved by IDEM, OAQ, and OES.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

and

City of Indianapolis
Office of Environmental Services
Air Quality Management Section, Compliance
2700 South Belmont Avenue
Indianapolis, Indiana 46221

no later than thirty-five (35) days prior to the intended test date.

- (b) The Permittee shall notify IDEM, OAQ, and OES of the actual test date at least fourteen (14 days) prior to the actual date.
- (c) Pursuant to 326 IAC 3-6-4(b), all test reports must be received by IDEM, OAQ, and OES not later than forty-five (45) days after the completion of the testing. An extension may be granted by the IDEM, OAQ, and OES, if the source submits to IDEM, OAQ, a reasonable written explanation not later than five (5) days prior to the end of the initial forty-five (45) day period.

Compliance Requirements [326 IAC 2-1.1-11]

C.6 Compliance Requirements [326 IAC 2-1.1-11]

The commissioner may require stack testing, monitoring, or reporting at any time to assure compliance with all applicable requirements by issuing an order under 326 IAC 2-1.1-11. Any monitoring or testing shall be performed in accordance with 326 IAC 3 or other methods approved by the commissioner or the U.S. EPA.

Compliance Monitoring Requirements

C.7 Compliance Monitoring [326 IAC 2-1.1-11]

Compliance with applicable requirements shall be documented as required by this permit. The Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment. All monitoring and record keeping requirements not already legally required shall be implemented when operation begins.

C.8 Monitoring Methods [326 IAC 3][40 CFR 60][40 CFR 63]

Any monitoring or testing required by Section D of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, 40 CFR 60, Appendix B, 40 CFR 63, or other approved methods as specified in this permit.

Record Keeping and Reporting Requirements

C.9 Malfunctions Report [326 IAC 1-6-2]

Pursuant to 326 IAC 1-6-2 (Records; Notice of Malfunction):

- (a) A record of all malfunctions, including startups or shutdowns of any facility or emission control equipment, which result in violations of applicable air pollution control regulations or applicable emission limitations shall be kept and retained for a period of three (3) years and shall be made available to the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ), and OES or appointed representative upon request.
- (b) When a malfunction of any facility or emission control equipment occurs which lasts more than one (1) hour, said condition shall be reported to OAQ, and OES using the Malfunction Report Forms (2 pages). Notification shall be made by telephone or facsimile, as soon as practicable, but in no event later than four (4) daytime business hours after the beginning of said occurrence.
- (c) Failure to report a malfunction of any emission control equipment shall constitute a violation of 326 IAC 1-6, and any other applicable rules. Information of the scope and expected duration of the malfunction shall be provided, including the items specified in 326 IAC 1-6-2(a)(1) through (6).
- (d) Malfunction is defined as any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner. [326 IAC 1-2-39]

C.10 Emission Statement [326 IAC 2-6]

- (a) The Permittee shall submit an annual emission statement certified pursuant to the requirements of 326 IAC 2-6, that must be received by April 15 of each year and must comply with the minimum requirements specified in 326 IAC 2-6-4. The annual emission statement shall meet the following requirements:
 - (1) Indicate estimated actual emissions of criteria pollutants from the source, in compliance with 326 IAC 2-6 (Emission Reporting);
 - (2) Indicate estimated actual emissions of regulated pollutants (as defined by 326 IAC 2-7-1(32) "Regulated pollutant which is used only for purposes of Section 19 of this rule") from the source, for purposes of Part 70 fee assessment.
- (b) The annual emission statement covers the twelve (12) consecutive month time period starting December 1 and ending November 30. The annual emission statement must be submitted to:

Indiana Department of Environmental Management Technical Support and Modeling Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

City of Indianapolis
Office of Environmental Services
Air Quality Management Section, Compliance
2700 South Belmont Avenue
Indianapolis, Indiana 46221

(c) The annual emission statement required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, and OES on or before the date it is due.

The submittal by the Permittee does require the certification by the "authorized individual" as defined by 326 IAC 2-1.1-1.

C.11 General Record Keeping Requirements [326 IAC 2-6.1-5]

- (a) Records of all required monitoring data, reports and support information required by this permit shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be physically present or electronically accessible at the source location for a minimum of three (3) years. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner or OES makes a request for records to the Permittee, the Permittee shall furnish the records to the Commissioner or OES within a reasonable time.
- (b) Unless otherwise specified in this permit, all record keeping requirements not already legally required shall be implemented when operation begins.

C.12 General Reporting Requirements [326 IAC 2-1.1-11] [326 IAC 2-6.1-2] [IC 13-14-1-13]

(a) Reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

and

City of Indianapolis Office of Environmental Services Air Quality Management Section, Compliance 2700 South Belmont Avenue Indianapolis, Indiana 46221

- (b) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, and OES on or before the date it is due.
- (c) Unless otherwise specified in this permit, any reports required in Section D of this permit shall be submitted within thirty (30) days of the end of the reporting period. The reports do not require the certification by an "authorized individual" as defined by 326 IAC 2-1.1-1(1).

Page 13 of 17 MSOP 097-16735-00443

Sims Cabinet Company, Inc. Indianapolis, Indiana Permit Reviewer: Angelique Oliger

(d) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period. Reporting periods are based on calendar years.

SECTION D.1

FACILITY OPERATION CONDITIONS

Facility Description:

- (a) Eight (8) spray coating stations, identified as 1-1, 2-1, 2-2, 2-3, 2-4, 2-5, 2-6, and 2-7, each with a maximum capacity of 0.13 gallons of adhesive per hour, using no control, and exhausting to the atmosphere. Station 1-1 was installed in 1968. All other stations were installed in 1995.
- (b) Wipe cleaning operations, with a maximum capacity of 0.15 gallons of xylene per hour, using no control and exhausting to the atmosphere.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

There are no applicable conditions for these facilities.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY COMPLIANCE BRANCH and CITY OF INDIANAPOLIS OFFICE OF ENVIRONMENTAL SERVICES

MINOR SOURCE OPERATING PERMIT ANNUAL NOTIFICATION

This form should be used to comply with the notification requirements under 326 IAC 2-6.1-5(a)(5).

Company Name:	Sims Cabinet Company, Inc.						
Address:	431 North Holmes Avenue						
City:	Indianapolis, IN 46222						
Phone #:	(317) 634-1747						
MSOP #:	097-16735-00443						
hereby certify that Sir	ms Cabinet Company, Inc. is	9 still in operation.9 no longer in operation.					
I hereby certify that Sir	ms Cabinet Company, Inc. is	9 in compliance with the requirements of MSOP 097-16735-00443.9 not in compliance with the requirements of MSOP 097-16735-00443.					
Authorized Individu	al (typed):						
Title:							
Signature:							
Date:							
		he source is not in compliance, provide a narrative pliance and the date compliance was, or will be					
Noncompliance:							

MALFUNCTION REPORT INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

FAX NUMBER - 317 233-5967 OES FAX NUMBER - 317 327 2274

This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

and to qualify for the exemption under 326 IAC 1-6-4.
THIS FACILITY MEETS THE APPLICABILITY REQUIREMENTS BECAUSE IT HAS POTENTIAL TO EMIT 25 TONS/YEAR PARTICULATE MATTER?, 25 TONS/YEAR SULFUR DIOXIDE?, 25 TONS/YEAR NITROGEN OXIDES?, 25 TONS/YEAR VOC?, 25 TONS/YEAR HYDROGEN SULFIDE?, 25 TONS/YEAR TOTAL REDUCED SULFUR ?, 25 TONS/YEAR REDUCED SULFUR COMPOUNDS?, 25 TONS/YEAR FLUORIDES?, 100 TONS/YEAR CARBON MONOXIDE?, 10 TONS/YEAR ANY SINGLE HAZARDOUS AIR POLLUTANT?, 25 TONS/YEAR ANY COMBINATION HAZARDOUS AIR POLLUTANT?, 1 TON/YEAR LEAD OR LEAD COMPOUNDS MEASURED AS ELEMENTAL LEAD?, OR IS A SOURCE LISTED UNDER 326 IAC 2-5.1-3(2)? EMISSIONS FROM MALFUNCTIONING CONTROL EQUIPMENT OR PROCESS EQUIPMENT CAUSED EMISSIONS IN EXCESS OF APPLICABLE LIMITATION
THIS MALFUNCTION RESULTED IN A VIOLATION OF: 326 IAC OR, PERMIT CONDITION # AND/OR PERMIT LIMIT OF
THIS INCIDENT MEETS THE DEFINITION OF 'MALFUNCTION' AS LISTED ON REVERSE SIDE ? Y
THIS MALFUNCTION IS OR WILL BE LONGER THAN THE ONE (1) HOUR REPORTING REQUIREMENT? Y
COMPANY:PHONE NO. ()
COMPANY:PHONE NO. ()
DATE/TIME MALFUNCTION STARTED:// 19 AM / P ESTIMATED HOURS OF OPERATION WITH MALFUNCTION CONDITION: DATE/TIME CONTROL EQUIPMENT BACK-IN SERVICE// 19 AM/PM
TYPE OF POLLUTANTS EMITTED: TSP, PM-10, SO2, VOC, OTHER:
ESTIMATED AMOUNT OF POLLUTANT EMITTED DURING MALFUNCTION:
MEASURES TAKEN TO MINIMIZE EMISSIONS:
REASONS WHY FACILITY CANNOT BE SHUTDOWN DURING REPAIRS:
CONTINUED OPERATION REQUIRED TO PROVIDE ESSENTIAL* SERVICES: CONTINUED OPERATION NECESSARY TO PREVENT INJURY TO PERSONS: CONTINUED OPERATION NECESSARY TO PREVENT SEVERE DAMAGE TO EQUIPMENT: INTERIM CONTROL MEASURES: (IF APPLICABLE)
MALFUNCTION REPORTED BY:TITLE: (SIGNATURE IF FAXED)
MALFUNCTION RECORDED BY:DATE:TIME:
*SEE PAGE 2

PAGE 1 OF 2

Please note - This form should only be used to report malfunctions applicable to Rule 326 IAC 1-6 and to qualify for the exemption under 326 IAC 1-6-4.

326 IAC 1-6-1 Applicability of rule

Sec. 1. This rule applies to the owner or operator of any facility required to obtain a permit under 326 IAC 2-5.1 or 326 IAC 2-6.1.

326 IAC 1-2-39 "Malfunction" definition

Sec. 39. Any sudden, unavoidable failure of any air pollution control equipment, process, or combustion or process equipment to operate in a normal and usual manner.

*Essential services are interpreted to mean those operations, such as, the providing of electricity by power plants. Continued operation solely for the economic benefit of the owner or operator shall not be sufficient reason why a facility cannot be shutdown during a control equipment shutdown.

If this item is checked on the front, please explain ratio	onale:
--	--------

Indiana Department of Environmental Management Office of Air Quality and City of Indianapolis Office of Environmental Services

Technical Support Document (TSD) for a Minor Source Operating Permit

Source Background and Description

Source Name: Sims Cabinet Company, Inc.

Source Location: 431 N. Holmes Avenue, Indianapolis, IN 46221

County: Marion SIC Code: 2541

Operation Permit No.: 097-16735-00443 **Permit Reviewer:** Angelique Oliger

The Office of Environmental Services (OES) has reviewed an application from Sims Cabinet Company, Inc. relating to the operation of a manufacturer of cabinetry.

Unpermitted Emission Units and Pollution Control Equipment

The source consists of the following unpermitted emission units and pollution control devices:

- (a) Eight (8) spray coating stations, identified as 1-1, 2-1, 2-2, 2-3, 2-4, 2-5, 2-6, and 2-7, each with a maximum capacity of 0.13 gallons of adhesive per hour, using no control, and exhausting to the atmosphere. Station 1-1 was installed in 1968. All other stations were installed in 1995.
- (b) Wipe cleaning operations, with a maximum capacity of 0.15 gallons of xylene per hour, using no control and exhausting to the atmosphere.

Enforcement Issue

- (a) IDEM is aware that equipment has been constructed and operated prior to receipt of the proper permit. The subject equipment is listed in this Technical Support Document under the condition entitled *Unpermitted Emission Units and Pollution Control Equipment*.
- (b) IDEM is reviewing this matter and will take appropriate action. This proposed permit is intended to satisfy the requirements of the construction permit rules.

Recommendation

The staff recommends to the Administrator that the operation be approved. This recommendation is based on the following facts and conditions:

Unless otherwise stated, information used in this review was derived from the application and additional information submitted by the applicant.

An application for the purposes of this review was received on November 13, 1996, with additional information received on September 4, 2003.

Emission Calculations

See Appendix A (two pages) of this document for detailed emissions calculations.

Potential To Emit

Pursuant to 326 IAC 2-1.1-1(16), Potential to Emit is defined as "the maximum capacity of a stationary source or emissions unit to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or type or amount of material combusted, stored, or processed shall be treated as part of its design if the limitation is enforceable by the U. S. EPA, the department, or the appropriate local air pollution control agency."

Pollutant	Potential To Emit (tons/year)		
PM	30.52		
PM-10	30.52		
SO ₂	negligible 28.05		
VOC			
СО	negligible		
NO _x	negligible		

HAP's	Potential To Emit (tons/year)
toluene	4.6
hexane	9.2
xylene	4.9
TOTAL	18.6

- (a) The potential to emit (as defined in 326 IAC 2-7-1(29)) of all criteria pollutants are less than one hundred (100) tons per year. Therefore, the source is not subject to the provisions of 326 IAC 2-7.
- (b) The potential to emit (as defined in 326 IAC 2-7-1(29)) of particulate is greater than twenty-five (25) tons per year. The potential to emit (as defined in 326 IAC 2-7-1(29)) of VOC is also greater than twenty-five (25) tons per year. Therefore, the source is subject to the provisions of 326 IAC 2-6.1. An MSOP will be issued.
- (c) The potential to emit (as defined in 326 IAC 2-7-1(29)) of any single HAP is less than ten (10) tons per year and the potential to emit (as defined in 326 IAC 2-7-1(29)) of a combination of HAPs is less than twenty-five (25) tons per year, therefore, the source is not subject to the provisions of 326 IAC 2-7.
- (d) Fugitive Emissions

Since this type of operation is not one of the twenty-eight (28) listed source categories under 326 IAC 2-2 and since there are no applicable New Source Performance Standards that were in effect on August 7, 1980, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are not counted toward determination of PSD and Emission Offset applicability.

Actual Emissions

No previous emission data has been received from the source.

County Attainment Status

The source is located in Marion County.

Pollutant	Status		
PM-10	attainment		
SO ₂	maintenance attainment		
NO_2	attainment		
Ozone	maintenance attainment		
CO	attainment		
Lead	unclassifiable		

- (a) Volatile organic compounds (VOC) are precursors for the formation of ozone. Therefore, VOC emissions are considered when evaluating the rule applicability relating to the ozone standards. Marion County has been designated as attainment or unclassifiable for ozone. Therefore, VOC emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.
- (b) Marion County has been classified as attainment or unclassifiable for all other criteria pollutants. Therefore, these emissions were reviewed pursuant to the requirements for Prevention of Significant Deterioration (PSD), 326 IAC 2-2.
- (c) Fugitive Emissions
 Since this type of operation is not one of the 28 listed source categories under 326 IAC
 2-2, or 326 IAC 2-3 and since there are no applicable New Source Performance
 Standards that were in effect on August 7, 1980, the fugitive particulate matter (PM) and volatile organic compound (VOC) emissions are not counted toward determination of PSD and Emission Offset applicability.

Source Status

New Source PSD Definition (emissions after controls, based on 8,760 hours of operation per year at rated capacity and/ or as otherwise limited):

Pollutant	Emissions (ton/yr)
PM	30.52
PM10	30.52
SO ₂	negligible
VOC	28.05
CO	negligible
NO _x	negligible
Single HAP	9.2
Combination	18.6

(a) This new source is not a major stationary source because no attainment pollutant is emitted at a rate of 250 tons per year or greater and it is not in one of the 28 listed source categories. Therefore, pursuant to 326 IAC 2-2, the PSD requirements do not apply.

Part 70 Permit Determination

326 IAC 2-7 (Part 70 Permit Program)

This new source is not subject to the Part 70 Permit requirements because the potential to emit (PTE) of:

- (a) each criteria pollutant is less than 100 tons per year,
- (b) a single hazardous air pollutant (HAP) is less than 10 tons per year, and

(c) any combination of HAPs is less than 25 tons/year.

This is the first air approval issued to this source.

Federal Rule Applicability

- (a) There are no New Source Performance Standards (NSPS)(326 IAC 12 and 40 CFR Part 60) applicable to this source.
- (b) There are no National Emission Standards for Hazardous Air Pollutants (NESHAPs)(326 IAC 14 and 40 CFR Part 63) applicable to this source. This source is not subject to the National Emission Standard for Hazardous Air Pollutants (NESHAP), 326 IAC 14, 40 CFR Part 63, Subpart T, because the degreasing operations are wipe cleaning only, and because the solvent used does not contain any of the halogenated HAP solvents, listed in §63.460(a).

State Rule Applicability - Entire Source

326 IAC 2-2 (Prevention of Significant Deterioration (PSD) Requirements)

This source is not a major source. This source is not one (1) of the twenty-eight (28) listed source categories. The potential to emit each criteria pollutant from the entire source is less than 250 tons per year. Therefore, this source is a minor source and the requirements of 326 IAC 2-2 (Prevention of Significant Deterioration (PSD) Requirements) are not applicable.

326 IAC 2-6 (Emission Reporting)

This source is subject to 326 IAC 2-6 (Emission Reporting), because it has the potential to emit more than ten (10) tons per year of VOC and is located in Marion County. Pursuant to this rule, the owner/operator of the source must annually submit an emission statement for the source. The annual statement must be received by April 15 of each year and contain the minimum requirement as specified in 326 IAC 2-6-4. The submittal should cover the period defined in 326 IAC 2-6-2(8)(Emission Statement Operating Year).

326 IAC 5-1 (Opacity Limitations)

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Alternative Opacity Limitations), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of thirty percent (30%) any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings) as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute nonoverlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

State Rule Applicability - Individual Facilities

326 IAC 6-3-2 (Particulate Emission Limitations, Work Practices and Control Technologies)

The spray coating stations are not subject to 326 IAC 6-3-2(d) (Particulate emission limitations, work practices, and control technologies), because they are each spray coating operations that use less than five (5) gallons per day.

326 IAC 8-1-6 (New Facilities; General Reduction Requirements)

Page 5 of 5 097-16735-00443

Sims Cabinet Company, Inc. Indianapolis, Indiana Permit Reviewer: Angelique Oliger

Sims Cabinet Company, Inc. has no individual facility with potential to emit more than twenty-five (25) tons per year of VOCs. Therefore, 8-1-6 does not apply.

326 IAC 8-3 (Organic Solvent Degreasing Operations)

This rule does not apply to this source because this source does not have a degreasing machine, only wipe cleaning.

Conclusion

The operation of this manufacturer of cabinetry shall be subject to the conditions of the attached proposed Minor Source Operating Permit 097-16735-00443.

Appendix A: Emissions Calculations VOC and Particulate From Surface Coating Operations

Company Name: Sims Cabinet Company

Address City IN Zip: 431 North Holmes Avenue, Indianapolis, Indiana 46222

Permit Number: 097-16735-00443
Reviewer: Angelique Oliger
Date: September 4. 2003

Material	Density (Lb/Gal)	Weight % Organics	Volume % Non- Volatiles (solids)	Gal of Mat. (gal/unit)	Maximum (unit/hour)	Pounds VOC per gallon of coating less water	VOC per	Potential VOC pounds per	Potential VOC pounds per day	Potential VOC tons per year	Particulate Potential (ton/yr)	lb VOC/gal solids	Transfer Efficiency
Hybond 12	6.7	76.0%	12.00%	1.00000	0.130	5.09	5.09	0.66	15.89	2.90	3.81	42.43	0%

Eight (8) spray booths Total PTE: 23.20 30.52

Xylene Wipe Cleaning*: 4.86

Total 28.05 30.52

*See page 2

METHODOLOGY

Pounds of VOC per Gallon Coating less Water = (Density (lb/gal) * Weight % Organics) / (1-Volume % water)

Pounds of VOC per Gallon Coating = (Density (lb/gal) * Weight % Organics)

Potential VOC Pounds per Hour = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr)

Potential VOC Pounds per Day = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr) * (24 hr/day)

Potential VOC Tons per Year = Pounds of VOC per Gallon coating (lb/gal) * Gal of Material (gal/unit) * Maximum (units/hr) * (8760 hr/yr) * (1 ton/2000 lbs

Particulate Potential Tons per Year = (units/hour) * (gal/unit) * (lbs/gal) * (1- Weight % Volatiles) * (1-Transfer efficiency) * (8760 hrs/yr) * (1 ton/2000 lbs)

Pounds VOC per Gallon of Solids = (Density (lbs/gal) * Weight % organics) / (Volume % solids)

Total = Worst Coating + Sum of all solvents used

surcoat.xls 9/95

Appendix A: Emissions Calculations HAPs

Page 2 of 2 TSD App A

From Surface Coating Operations

Company Name: Sims Cabinet Company

Address City IN Zip: 431 North Holmes Avenue, Indianapolis, Indiana 46222

Permit Number: 097-16735-00443 **Reviewer:** Angelique Oliger

Date: September 4. 2003

		Total max.	
	% by	Usage	PTE
HAP	weight	(lbs/hr)*	(tons/yr)
Toluene	15%	6.968	4.577976
Hexane	30%	6.968	9.155952
Xylene	100%	1.109	4.85742
Total			18.59135

PTE = usage lbs / hr * 8760 hrs / yr * 1 ton / 2000 lbs * % HAP by weight

*For Toluene and Hexane: 6.7 lbs/gal * 1 unit / hr * 0.13 gal / unit * 8 booths

*For Xylene: Maximum usage = 0.15 gal/hr

Density = 7.25 lbs/gal 0.15 gal/hr * 7.25 lbs/gal